1985

Sandvik Consumer Tools Catalogue

How to use this catalogue

This catalogue has the selection your customers want, and it is as complete and up-to-date as possible. Items are well identified with product description, pictures and code so ordering is easy and precise.

Please note, however, that this is more than a catalogue; it is also a valuable sales aid.

First: Use it to be more fully acquainted with the Sandvik products yourself. In particular, use the features and benefits highlighted throughout to aid you in day-to-day selling.

Second: Use it to guide your customers to find exactly what they need. Point out related items to improve your "cross selling" and "selling up." Also, show them the features and "how-to" items to finalize a tough sale.

The Sandvik catalogue is an effective sales tool for selling our tools. This is just another way Sandvik helps make everyone's work a little easier.

SANDVIK

Index

Product	Page
Apartment Saw	7
Aviation Snips	32
Axes	44
Camper Axes	44
Clearing Axes	44
Hunter Axes	44
Woodman Axes	44
Backsaws	9
Ball Pien Hammer	17
Bits	28
Blades	24
Circular Saw Blades	24
Compass Saw Blades	12
Coping Saw Blades	10
Hacksaw Blades	30
Jigsaw/Sabre Saw Blades	25
Bowsaws	41
Bowsaw Blades	41
Brick Hammer	17
Cabinet Scraper	16
Camping Axe	44
Carbide Scrapers	21
Carbide Tipped Circular Saw Blades	24
Carpenter Saws	9
Cement Trowels	22
Chainsaw Files	36
Chainsaw Guidebars	45
Chisels	15
Circular Saw Blades	24
Clamps	16
Claw Hammers	17
Compass Saws	11
Coping Saw	10
Dovetail Saws	10
Drills – Masonry	28
Electricians Type Screwdrivers	18
Engineering Files	37
Engineers Type Screwdrivers	18
Files	34
Carded Files	35
Chainsaw Files	45
Description of Files and Cuts	34
Engineering Files	37
Files with Handles	36
Hobby Files	34
Home Owner's Files	34
Replacement Handle	35
Forestry Tools	50
Garden Tools	40
Guide Bars	45
Guildmaster Handsaw	6
Hacksaws	31
Hacksaw Blades	30
Hammers	17
Hand Tools	14
Handsaws	6
Wood Handles	6
Modern Handles	6
Carpenter Saws	9
Specialty Saws	10

Product	Page
Hardpoint Handsaws	7
Hedge Shears	43
Industrial Files (Engineering Files)	37
Industrial Tools	49
Jigsaw Blades/Sabre Saw Blades	25
Levels	20
Link Locks	44
Masonry Drills	28
Masonry Trowels	22
Merchandisers	46
Mini Hack	31
Mini Sledge	17
Mitre Box/Guides	13
Mitre Saw	13
Philips Type Screwdrivers	18
Plastering Trowels	22
Pointing Trowels	22
Power Tool Accessories	23
Pozi Drive Screwdriver	18
Pruning Saws	42
Pruning Shears	42
Robertson Type Screwdrivers	19
Sabre/Jigsaw Blades	25
Sandplate	21
Sandvik 13 Chainsaw Files	45
Saws	6
Bowsaws	41
Carpenters Saws	9
Handsaws	6
Pruning Saws	42
Scrapers	21
Screwdrivers	18
Scythes/Sickles	45
Sledge Hammer (mini)	17
Sliding Bevel Square	20
Snips	32
Squares	20
Stubby Type Screwdrivers	18
Tree Trimmers	43
Trowels	22
Veneer Saws	11
Wood Bits/Masonry Drills	28
Wood Clamp	13
Wood Files	34

Sections

1.	Corporate	2
2.	Handsaws	5
3.	Hand Tools	14
4.	Power Tool Accessories	23
5.	Metal Cutting Tools	29
6.	Garden Tools	40
7.	General Tools (Industrial/Forestry)	46
	How to Order	53

The Sandvik Line...a history of quality

For 120 years, Sandvik has stood for quality. Because our customers will stand for nothing less. And Sandvik brings that quality to their rapidly expanding line of hand tools, garden tools, and power tool accessories. Tools for everyone from the occasional home handyman to the full-time professional craftsman.

Sandvik also offers a full range of prices and performance levels. We have the perfect tool for whatever project is at hand. And our pricing policy puts that special Sandvik quality within easy reach of every possible user.

From our comprehensive line of saws, including handsaws, hacksaws, and hole saws, to our files, scrapers, accessories, and everything else we make, Sandvik products are always a cut above. We give your customers the widest possible selection. Which makes sales. And makes you look very good.

Sandvik Packaging... wrapping up sales

Just one look. That's all it takes with Sandvik's distinctive packaging policy. All our products come with eye-catching, custom designed packaging which gives your customers all the features and benefits at a glance. Packaging that tells what each Sandvik product is best suited for and how to make the most effective use of it. Packaging that helps your customers make the right choice and helps you make sales.

This unique "tell and sell" packaging approach works hand in hand with Sandvik merchandisers, and our reputation for quality, to increase sales and help make Sandvik the preferred choice with all kinds of handymen.

Sandvik is packaged to build your profits. With packaging that helps you make all the points to make sales... at the point of sale.



SANDVIK
308-13T
SANDVIK AB SWEDEN
SANDVIK
251-7T
SANDVIK AB SWEDEN
SANDVIK
251
SANDVIK
ÖBERG
152
153
Hobbyset
Phillips
SANDVIK
13 mm
SANDVIK
PRADINES
Universel
P37-20 cm
SANDVIK
SPECIAL
STEEL
SANDVIK
5
Saw Files



Sandvik Merchandising…making merchandise move

To help you sell Sandvik products with greater ease, attractive merchandisers are available. These position merchandise in the best possible way. They create the maximum visual impact in the minimum available space.

Decisions to buy hand tools are most often made right in the store. Sandvik merchandisers make the choice simple by putting selection and information at your customer's fingertips. With a presentation that clearly identifies product and highlights Sandvik as the quality name in tools. And that makes Sandvik merchandisers a simple way to increased profits.

Used singly, or in any number of combinations, Sandvik merchandisers help you save space, move merchandise and increase your profitability. They also reduce the amount of time spent on troublesome displays and reduce the amount of your time each sale takes.

Increase your profits with Sandvik merchandisers. It's a great move.

SANDVIK
2000-7T
SANDVIK
293-7T
SANDVIK
297-7T
SANDVIK
321
SANDVIK
250
SANDVIK
291-5T
SANDVIK
309-6T
SANDVIK
250

Handsaws

SANDVIK

	Product Code	Blade Length Inches	mm	Points per Inch	Carton Weight lb.	kg	Packed per Carton
CLASSIC Our best handsaw. Balanced, traditional dark stain wood handle with gold ornamentation. Three brass screws plus medallion. Extra wide taper ground blade with unique breasted tooth line are features which give superior cutting. Bevel ground teeth with skew back. Sleeved.	**288**	26	650	8	3.12	1.7	2
		22	550	12	3.1	1.4	2
PROFESSIONAL Professional saw with taper ground blade and bevel ground teeth for faster, smoother sawing. Balanced medium stained handle with three brass screws and medallion. Sleeved.	**277**	26	650	8	7.0	3.0	4
		24*	600	5½	6.2	2.9	4
		22	550	12	5.6	2.8	4
*Rip Saw – Straight Ground							
GUILDMASTER Bevel ground teeth with taper ground blade for quality sawing. Balanced, medium stained handle.	**271-C**	26	650	8	7.0	3.0	4
		22	550	12	5.6	2.8	4
TRADITIONAL Bevel ground teeth for smooth and fast sharpening. Balanced, traditional style handle fastened to blade by three silver screws and medallion.	**756**	26	650	8	6.2	2.9	4
		24*	600	5½	5.6	2.8	4
		22	550	12	5.2	2.5	4
*Rip Saw – Straight Ground							
HOBBYIST A modern handsaw with a traditional medium brown handle fastened to blade by three brass screws. Bevel ground teeth for smooth, fast sawing. Sleeved.	**275**	26	650	8	5.6	2.8	4
STRAIGHT BACK – MODERN Bevel ground teeth with modern style handle. Handle has 45° and 90° angle guides built into the handle design. Sleeved.	**297**	26	650	8	12.0	5.3	10

	Product Code	Blade Length Inches	mm	Points per Inch	Carton Weight lb.	kg	Packed per Carton
ECONOMY – WOOD HANDLE A wood handle crosscut saw with a polished tempered blade. Teeth are straight filed to provide good cutting performance.	**290**	24	600	8	10.6	4.7	10
ECONOMY An economically priced saw that provides best value over other competitors in its class. The polished and tempered blade is sharpened and set for fast cutting. The ultrasonic welded plastic handle has unique 45° and 90° angle guides and is molded for comfort.	**246**	24	600	8	9.0	4.0	10
SUPREME – HARDPOINT The ultimate in new design and research. Features "Supercut", a new concept in ground tooth design. Ideal for cross-cutting and ripping. High frequency hardened tooth points keep the saw sharp 3 to 5 times longer than conventional saws. Combination plastic and wood handle designed for user comfort. Perfect for professional or home handymen.	**2000**	22	550	8	5.3	2.4	4
HARDPOINT – UNIVERSAL POINT Best quality Swedish steel saw. Teeth are bevel ground for efficient cutting while cross-cutting or rip sawing. High frequency hardened tooth points make saw stay 3 to 5 times sharper than conventional saws. Modern designed plastic handle with 45° and 90° angle guides.	**250**	22	550	8	4.5	2.1	4
HARDPOINT – FLEAM TOOTH A very popular saw. Features best quality Swedish tool steel. High frequency hardened tooth points. Stays sharper 3 to 5 times longer than regular saws. Modern designed handle with easily read markings of 45° and 90° angles. Fleam toothing.	**251**	22	550	8	4.5	2.1	4
TOOL BOX – HARDPOINT Popular tool box saw with all features of top quality models. Bevel ground, frequency hardened teeth ensure long lasting cutting capability. Extra fine toothing for fine finish. Modern handle design allows for quick 45° and 90° angles. Small size allows easy tool box storage. Sleeved.	**300**	14	350	16	3.0	1.4	4

Handsaws

SANDVIK

Tips on selecting the right blade

RIP SAW BLADE
Has a low number of points (teeth) per inch (under 8) to effect a fast cut along the grain.

CROSS CUT BLADE
Has more points per inch to produce a clean cut across the grain.

UNIVERSAL BLADE
Can be used for cutting both along and across the grain.





TEETH/POINTS PER INCH
The more teeth/points per inch the finer and cleaner the cut. Handsaws average 7 teeth (8 points) to the inch while carpentry saws have up to 13 teeth (14 points) per inch. Sandvik super-cut teeth give a finer, yet faster, cut compared to the equivalent saw manufactured in the conventional way.

Sandvik Handsaw Features

SANDVIK'S BALANCED WOOD HANDLES
Elegantly styled, offer all the fine qualities required by the tradition-minded customer.

Constructed of solid hardwood, these comfort grip handles feature beautiful brass anodized medallion and screws.

Also featured are traditional wheat carvings that accent the smooth rich finish

SANDVIK PLASTIC HANDLES
Feature a comfortable anti-slip grip. Note some are also "angle handles" which can be used as a quick means of finding 45° and 90° angles.



SANDVIK SUPER-CUT
A completely new tooth shape from Sandvik, made possible by grinding the teeth instead of filing in the traditional way. It is much more effective and works faster than conventional toothing.

SANDVIK BEVEL GROUND TOOTHING
A completely new tooth shape from Sandvik, made possible by grinding the teeth instead of filing in the traditional way. It is much more effective and works faster than conventional toothing. This feature is available on most Sandvik saws, resulting in high cutting capability.



Traditional filed tooth



Sandvik Bevel Ground tooth

HARDPOINT
Sandvik carries a line of both handsaws and specialty saws which have high frequency hardened teeth called "Hardpoint". These teeth last 3-5 times longer than conventional ones. Although these saws cannot be resharpened, they can be restored somewhat by use of a whetstone.



Carpenter Saws

	Product Code	Blade Length Inches	mm	Points per Inch	Carton Weight lb.	kg	Packed per Carton
BACKSAW – PROFESSIONAL A traditional backsaw. Teeth are bevel ground for smooth sawing action. Heavy spine for added blade stiffness. Traditional medium stained wood handle fastened by brass screws. Sleeved.	**328**	14 12	350 300	14 14	4.5 4.1	2.2 1.9	4 4
BACKSAW – MODERN A light backsaw with universal toothing for mitre sawing of mouldings, laths and other small dimension timbers. Fine toothing gives fine cut faces.	**308**	12	350	14	3.5	1.6	4
BACKSAW – ECONOMY WOOD HANDLE Solid wood handle with deep blade for all round use. Teeth sharpened and set.	**208**	14	350	14	6.3	2.9	6
BACKSAW – ECONOMY An economy priced backsaw that provides the best value over most other competitors in its class. This saw is one of the Sandvik 5 series which have ultrasonic welded handles moulded for comfort fit.	**248**	14	350	14	6.2	2.9	10
BACKSAW – HARDPOINT A backsaw with normal toothing for mitre sawing of mouldings, laths, and other small dimension timbers. Can also be used for sawing hard materials, aluminum, plastics, etc. The extra hardened tooth points make the saw stay sharp 3-5 times longer than conventional saws. Fine toothing gives fine cut faces.	**318**	14	350	14	3.5	1.6	4





Specialty Saws

SANDVIK

	Product Code	Blade Length Inches	mm	Points per Inch	Carton Weight lb.	kg	Packed per Carton
DOVETAIL SAWS **These saws are fine cutting saws, ideal for backsawing, dovetailing, model building, and especially for trimming back mouldings on floors, walls, or ceilings.**							
310 Slanted teeth, machine sharpened and greased for rust protection. Handle has four flattened sides for firm grip. The handle is fixed to the blade.	**310**	10	250	14	4.6	2.0	10
311 This dovetail has machine sharpened straight teeth. The grip is offset, allowing to saw along a wall (from left to right only).	**311**	10	250	14	4.6	2.0	10
312 A straight tooth dovetail with grip offset; adjustable, allowing left and right handed people to saw along a wall from either side.	**312**	10	250	16	5.1	2.3	10
COPING SAW A professional quality coping saw. A sturdy steel frame, blade tensioning by turning the wood handle, easily adjustable blade fixtures and an extra narrow specially hardened blade are among the features. Packed on display cards.	**301**	6½	160	5	5.5	2.5	6
COPING SAW BLADES Hardened and tempered carbon steel.	**303**	Packed five blades per pack. Bulk – 100 pcs.					

Specialty Saws

	Product Code	Blade Length Inches	mm	Points per Inch	Carton Weight lb.	kg	Packed per Carton
VENEER SAW (HARDPOINT) Features high-frequency hardened tooth points. Excellent for cutting a wide range of panel boards and plastic laminates. Cutting edge at base of round top.	**324**	12	320	14	2.0	0.9	4
VENEER SAW An all-round saw with universal toothing for sawing wood and porous materials. Toothed also on the curved top section for starting a kerf in the middle of a surface. Fine toothing gives fine cut faces.	**314**	12	320	14	2.0	0.9	4
VENEER SAW—ECONOMY An all-round veneer saw which is part of the Sandvik 5 series. Cutting edge at the base of round top. The ultrasonic welded handle, moulded for comfort fit, will not loosen.	**249**	12	320	14	4.9	2.2	10
COMPASS SAW (HARDPOINT) Sharpened and set. High-frequency hardwood tooth points. Plastic coated. Extra hardened tooth points make the saw stay sharper 3-5 times longer than conventional saws. A compass saw with many applications for sawing wood, plywood, particle board, fibreboard and plastic.	**315**	14	350	8	1.6	0.7	4
COMPASS SAW An all-round compass saw mainly used for wood and porous materials. Plastic coated. Sharpened and set. Plastic handle in grey colour.	**305**	14	350	8	2.0	0.7	4
COMPASS SAW – ECONOMY This is a compass saw with many applications. It is part of the Sandvik 5 series and comes with an ultrasonic welded handle moulded for comfort fit.	**247**	12	320	8	2.7	1.2	10
COMPASS SAW – TRADITIONAL Traditional style hardwood handle with precision set and filed teeth. Blade attached with nut and bolt for easy blade change.	**306**	14		8			6
REPLACEMENT BLADE ONLY	**306-B**	14		8			10

Specialty Saws

SANDVIK

	Product Code	Blade Length Inches	mm	Points per Inch	Carton lb.	Carton kg	Packed per Carton
HEAVY DUTY COMPASS SAW An all-round compass saw for metal, wood and other tough materials. Plastic coated metal handle with safe and comfortable grip. Blade fixing device allows quick and simple angle change (8 positions). Comes with a "Sandflex" bi-metal blade.	**321**	11	280	24	4.3	1.9	5

COMPASS SAW BLADES Spare blades for #321 Compass Saw.	**321-SP**	Bi-Metal Blade—Metal 24 TPI	10
	321-SP	Bi-Metal Blade—Wood 10 TPI	10

BUTCHER SAW Chromed plated steel frame. Varnished plywood handle. Blade is stainless, polished, sharpened and set. Each saw in individual sleeve.	**326**	24	600	8			4

REPLACEMENT BLADE	**347**	24	600	8			10

WALLBOARD SAW Blade is heavy gauge steel with extra deep tooth gullets to remove material quickly. Perfect for drywall. Hardwood handle. Convenient display hook.	**#6**	6					6

SANDVIK Mitre Guides, Wood Clamps

	Product Code	Length Inches	mm	Carton Weight lb.	kg	Packed per Carton
MITRE GUIDE A handy mitre guide for sawing 7 fixed angle positions. Low weight and sturdy design allows for tool box storage and transport to the working site. Guide plate can be fitted for right hand or left hand cutting. Ensures a right-angle cut-off both horizontally and vertically. Separate recess for use with compass saw. Made from non-corrosive aluminum casting. Stainless steel guide plate. Extra large locking screw for better grip and easy setting. Pack on display Card.	**232**	10	260	4.0	18	4



	Product Code	Length Inches	mm	Carton Weight lb.	kg	
MITRE BOX Ideal for the "Do-It-Yourself" handyman. Sides and bottom made with 3/4 inch straight grained kiln-dried hard maple. For use with panel/mitre saw (Sandvik No. 309) or backsaws.	**233**	15	350	24.0	10.8	12

	Product Code	Blade Length Inches	mm	Points per Inch	Carton Weight lb.	kg	Packed per Carton
PANEL/MITRE SAW (HARDPOINT) A cross-cut and rip saw especially suitable for mitre sawing of mouldings, laths and other small-dimension timbers. Recommended for use with Sandvik No. 232 mitre guide. Extra hardened tooth points make the saw stay sharp 3-5 times longer than conventional saws.	**309**	20	500	10	4.10	2.1	4

Hand Tools

	Product Code	Blade Width Inches	mm	Blade Length Inches	mm	Carton Weight lb.	kg
FIRM WOOD CHISELS World famous "Fish and Hook" brand chisels are made of hardened Swedish tool steel (H.R.C. 57-61) for longer lasting edge. Bevelled side edges are plastic coated. Comfortable, hand-fitted grip of high-impact plastic compound makes these tools professionals and handymen will be proud to own for years and years. The chisels come in a range of seven most popular sizes and are individually packaged in attractive display cases. Including Gift Sets.	**424-6**	1/4	6	5 1/2	140	1.4	0.6
	424-10	3/8	10	5 1/2	140	1.5	0.7
	424-12	1/2	12	5 1/2	140	1.6	0.7
	424-18	3/4	18	5 1/2	140	1.8	0.8
	424-25	1	25	5 1/2	140	2.0	0.9
	424-32	1 1/4	32	5 1/2	140	2.3	1.1
	424-38	1 1/4	38	5 1/2	140	2.5	1.1
	Packed four per carton						



CHISEL SETS—Ideal for gift giving
Set of 3, 1/2", 3/4", 1", in styrofoam carton.

Set of 5, 1/4", 3/8", 1/2", 3/4", 1", in styrofoam carton.

424-081 Weight Per Carton—1.2 lb/0.6 kg.
Packed one per carton

424-082 Weight Per Carton—1.9 lb/0.8 kg.
Packed one per carton



Set of 6, 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", in presentation wooden box.

424-083 Weight Per Carton—2.4 lb/1.1 kg.
Packed one per carton



BUTT WOOD CHISELS The blade of this handsome chisel is made from high quality plastic coated hardened tool steel. Ease of use and durability are enhanced by a tapered neck and a carefully ground edge. It has a straight cutting edge with a constant width. Side edges are bevelled. The handle is made from a shock-resistant plastic compound which fits all blade widths. The chisels are individually carded to be attractively displayed and are available in seven of the most popular sizes. Including Gift Sets.	**423-6**	1/4	6	4 3/4	120	0.8	0.3
	423-10	3/8	10	4 3/4	120	0.9	0.4
	423-12	1/2	12	4 3/4	120	1.0	0.5
	423-16	5/8	16	4 3/4	120	1.2	0.6
	423-18	3/4	18	4 3/4	120	1.2	0.6
	423-25	1	25	4 3/4	120	1.5	0.7
	423-32	1 1/4	32	4 3/4	120	1.7	0.8
	Packed four per carton						



CHISEL SETS—Ideal for gift giving
Set of 3, 1/2", 3/4", 1", in styrofoam display carton.

Set of 5, 1/4", 3/8", 1/2", 3/4", 1", in styrofoam display carton.

423-081 Weight Per Carton—0.9 lb/0.4 kg.
Packed one per carton

423-082 Weight Per Carton—1.2 lb/0.6 kg.
Packed one per carton

Chisels

SANDVIK

WOOD HANDLE CHISELS

This traditional style chisel has an attractive beech wood handle. This handle style has the added advantage in that it is replaceable, thereby extending chisel life. The blade is high-quality plastic coated hardened tool steel. It has a straight cutting edge with a constant width.
Side edges are bevelled.
The chisels are individually packaged in attractive display cases and are available in seven of the most popular sizes.

Product Code	Blade Width Inches	mm	Blade Length Inches	mm	Carton Weight lb.	kg
425-6	1/4	6	5 1/2	140	1.4	0.6
425-10	3/8	10	5 1/2	140	1.5	0.7
425-12	1/2	12	5 1/2	140	1.6	0.7
425-18	3/4	18	5 1/2	140	1.8	0.8
425-25	1	25	5 1/2	140	2.0	0.9
425-32	1 1/4	32	5 1/2	140	2.3	1.0
425-38	1 1/2	38	5 1/2	140	2.5	1.1

Packed four per carton

REPLACEMENT CHISEL HANDLES—425 TYPE

These wood handles can be used to replace sizes 1/2″ and above. Sizes 1″ and above will require the hole size to be enlarged.

425-1

Packed 12 per carton

CABINET SCRAPER

For carpentry work such as smoothing wood surfaces and removing paint. Ground edges. Each scraper in individual sleeve.

Product Code	Length Inches	mm	Width Inches	mm	Thickness Inches	mm	Carton Weight lb.	kg
474-150-060	6	150	2 1/2	62	.020	.60	1	.47
474-125-060	5	125	2 1/2	62	.020	.60	.7	.21

Packed ten per carton



WOOD CLAMPS

Rail and steel screws are galvanized to prevent rust.
Swivel head is secured to the screw and allows clamping of irregularly shaped parts without parallel surfaces.
Screw grip of very tough plastic has square centre section allowing the use of a wrench.

Product Code	Depth Inches	mm	Max. Opening Inches	mm	Carton Weight lb.	kg	Packed per Carton
430-50-100	2	50	4	100	3.3	1.5	6
430-100-200	4	100	8	200	17.2	7.8	6
430-140-300	5 1/2	140	12	300	23.1	13.2	6
430-175-400	7	175	16	400	25.7	16.2	6
430-120-500	5	120	20	500	32.7	18.0	6
430-120-600	5	120	24	600	42.3	19.2	6

	Product Code	Handle Length inches	mm	Weight of Head oz.	kg	Carton weight lb.	kg
CLAW HAMMER Head of drop-forged tool steel. Face and claw individually hardened and tempered. Fibreglass handle secured to head by invisible wedge and epoxy compound.	**428-13**			13			
	428-16	12	320	16	.450	7.1	3.2
	428-20	13	340	20	.560	8.4	3.8
	Packed four per carton						
CLAW HAMMER Head of drop-forged tool steel. Face and claw individually hardened and tempered. Shaft made of special high-tension manganese steel tube. Guaranteed to stand a bending load of 150 kg (300 lbs.) for the 16 and 20 oz. heads and 100 kg (200 lbs.) for the 13 oz. head. The grip is made of a special formed PVC compound for improved shock absorption.	**429-13**	12	310	13	.370	6.2	2.8
	429-16	12	325	16	.450	7.1	3.2
	429-20	14	350	20	.570	8.2	3.7
	Packed four per carton						
CLAW HAMMER Head of drop-forged tool steel. Face and claw individually hardened. Shaft made of high quality ash, with anti-slip surface and lacquered to protect against water, dirt, etc. Wood handle secured to head by steel wedge (not visible) and epoxy sealed (orange coloured).	**427-16**	12	320	16	.450	7.1	3.2
	427-20	14	350	20	.570	8.4	3.8
	Packed four per carton						
BALL PIEN Head of drop-forged tool steel, secured twice to wood handle by steel wedge (not visible) and epoxy sealed (orange coloured). Anti-grip handle is lacquered to protect against water, dirt, etc.	**479-8**	11	300	8	230	14.0	6.3
	479-12	12	320	12	340	19.0	8.7
	479-16	12	320	16	450	24.0	10.9
	479-24	15	380	24	680	36.0	16.7
	479-32	15	380	32	380	24.0	10.8
	Packed four per carton						
BRICK The brick-layer has PCV compound grip similar to our 428 and 429 hammers. Tubular steel shaft. Head of drop-forged tool steel.	**486**	11	300	1¼	600		
	Packed four per carton						
MINI SLEDGE Head of drop-forged tool steel, secured twice to handle by invisible wedge and epoxy compound Chamfer edge on head.	**484-1000**	10	260	2¼	1000	25.0	11.5
	484-1250	10	260	2¾	1250	31.0	14.0
	484-1500	10	260	3½	1500	37.0	16.8
	Packed two per carton						







3

Screwdrivers

SANDVIK

Premium Line (Bulk)

Our highest quality line. The unique Sandvik handle is transparent, shock proof and designed to provide a good grip. The blade is made of chrome-vanadium steel and is chrome plated.

	Product Code	Blade Size Inches	Blade Size mm	Packed per Carton
ENGINEERS—SLOTTED—HEXAGON	800-A20	4	100	10
	800-A21	6	150	10
	800-A22	8	200	10
	800-A23	10	250	5
ELECTRICIANS—SLOTTED	800-A30	3	75	10
	800-A33	6	150	10
STUBBY TYPE—SLOTTED	800-A16	1 3/8	35	10
PHILLIPS TYPE	800-A50	2 1/2	60	10
	800-A51	3 1/4	80	10
	800-A52	4	100	10
	800-A53	6	150	10
PHILLIPS TYPE—STUBBY	800-A56	1	25	10

	Product Code	Blade Size Inches	Blade Size mm	Point Size	Packed per Carton
POZI DRIVE	800-A61	3 1/4	80	1	10
	800-A62	4	100	2-3	10
	800-A63	6	100	2-3	10

Economy Line (Bulk)

An economical screwdriver made of chrome-vanadium and nickel plated. The handle is non-transparent and shock-proof.

	Product Code	Blade Size Inches	mm	Packed per Carton
ENGINEERS TYPE—SLOTTED	801-B1	3	75	10
	801-B2	4	100	10
	801-B3	5	125	10
	801-B4	6	150	10
	801-B5	6⅞	175	10
ELECTRICIANS TYPE—SLOTTED	801-B30	3	75	10
	801-B33	6	150	10
STUBBY TYPE—SLOTTED	801-B15	1	25	10

	Product Code	Blade Size Inches	mm	Point Size	Carton Weight lb.	kg	Packed per Carton
PHILLIPS TYPE	801-B50	2½	60	0			10
	801-B51	3¼	80	1			10
	801-B52	4	100	2			10
	801-B53	6	150	3			10
ROBERTSON TYPE	315	4		1			10
	316	4		2			10
	317	4		3			10

Traditional Line (Bulk)

Screwdrivers have handle made of hornbeam wood and a metal cap as protection. The blades are made of chrome-vanadium steel going through the handle.

	Product Code	Blade Size Inches	mm	Carton Weight lb.	kg	Packed per Carton
ENGINEERS TYPE—SLOTTED	802-C1	3	75			
	802-C2	4	100			
	802-C4	6	150			
	802-C6	8	200			

Economy Carded Screwdrivers

Carded screwdrivers display clear information on product codes and dimensions. Cards are colour coded to easily identify different quality levels.

	Product Code	Blade Size Inches	mm		Packed per Carton
ENGINEERS—SLOTTED	801-B1-1	3	75	1/CARD	10
	801-B2-1	4	100		10
	801-B3-1	5	125		10
	801-B4-1	6	150		10
	801-B5-1	6⅞	175		10
ELECTRICIANS—SLOTTED	801-B30-1	3	75	1/CARD	10
	801-B33-1	6	150		10

	Product Code	Blade Size Inches	mm	Point Size	Carton Weight lb.	kg	Packed per Carton
PHILLIPS TYPE	801-B50-1	2½	60	0	1/CARD		10
	801-B51-1	3¼	80	1			10
	801-B52-1	4	100	2			10
	801-B53-1	6	150	3			10

Squares, Levels

SANDVIK

	Product Code	Dimensions Stock	Blade	Carton lb.	Weight kg	Packed per Carton
PROFESSIONAL SQUARE Designed for the professional. Special zinc alloy stock is cast around blade for strength and shock absorption. Handle allows full 45° and 90° angles to be measured. Bright polished steel blade is scaled in mm on both sides.	**9570-200**	5¾"-146 mm	8"-200 mm	5.3	2.4	6
	9570-250	5¾"-146 mm	10"-250 mm	5.6	2.5	6
	9570-300	5¾"-146 mm	12"-300 mm	6.0	2.7	6



HOBBY SQUARE Designed for the hobbyist, this square has all the features of the "Professional" but a lighter stock for price conscious buyers.	**9571-200**	5"-127 mm	8"-200 mm	2.3	1.0	6
	9571-250	5"-127 mm	10"-250 mm	2.3	1.0	6

SLIDING BEVEL Polished zinc alloy stock for ease of handling is fitted with accurately machined, bright polished steel blade which is locked with zinc plated screw and wing nut.	**9572-200**	5"-127 mm	8"-200 mm	2.6	1.2	6

Sandvik's professional squares offer the balance and accuracy demanded by today's professional. Featured is a uniquely tailored inside-corner crescent for added convenience and ease of use.



	Product Code	Length Inches	mm	No. of Vials	Carton lbs.	Weight kg	Packed per Carton
SANDVIK—TRADITIONAL **Aluminum Extruded Top Reading Levels.** Glass barrel-shaped vials read a full 360°. Vials can be replaced separately. Black baked aluminum finish.	**436-600-3**	24	600	3	19.0		12



SANDVIK—HOBBYIST Sturdy aluminum body with a closed rectangular tube shape. End view for convenient inspection of vertical surfaces, and end cap with hole in level body for storage. Barrel-shaped vials made of acrylic glass; unbreakable, and leakproof guarantee accuracy.	**446-400-2**	16	400	2	2.6	1.2	4
	446-600-2	24	600	2	3.6	1.6	4
	446-600-3	24	600	3	3.6	1.6	4
	446-800-3	32	800	3	4.7	2.1	4

SANDVIK—ECONOMY **Extruded Aluminum Level.** Glass barrel shaped vials read a full 360°. Uniform curvature on inside and outside of the vial assures identical readings as the vial is rotated.	**456-600-2**	24	600	2	14.0	6.3	12



Carbide Scrapers, Sandplate

Sandplate

Sandplate shapes like a rasp, finishes like a medium fine sandpaper, and lasts 100 times longer than ordinary sandpaper.

SANDPLATE
The sanding block is especially designed for Sandplate. Convenient and handy shape with a comfortable surface. Will reach into corners and angles. Plate easily replaceable.

Sandplate is a thin hardened steel plate with dots of protective ink. The area between the dots is etched down with acid. On the surface remain thousands of small points with sharp edges. A "sandpaper" of steel with efficient cutting capacity and extreme durability. On the back an adhesive with a cover paper.

Pts Per cm.	Finish
50	Medium Coarse
160	Medium Fine

Product Code	Length Inches	mm	Carton lb.	Carton kg	Weight Pts Per cm.	Std. Pack
412-1-50	4 7/16	112	2.2	1.0	50	10
412-1-160	4 7/16	112	2.2	1.0	160	10
412-2-50	4 7/16	112			50	10
412-2-160	4 7/16	112			160	10
415-50	8 7/8	225			50	10
415-160	8 7/8	225			160	10

412.1.–

412.2.–

415.–







SANDPLATE DISPENSER
Easy to use display for sandplate. Counter mount for quick product turnover.

Contains: 10 of 415-50
Contains: 10 of 416-50

High quality scraping tool that removes paint, glue, varnish and rust on all kinds of surfaces. Blade made of cemented carbide. Convex ground edge reduces risk. Display card.

440 1.8 .80 5

Same features as 440 model. Smaller triangular blade to allow entrance into small areas. Blade has three edges which can be used before replacement. Display card.

448 1.8 .80 5



Spare Blades for
Blades are 2½ ×
Harder than hardened steel.
Display card.

440 .31 .14 10
448 .31 .14 10

Trowels

SANDVIK

There is a complete range of trowels for every application. All trowels are manufactured to Sandvik specifications, and features include blades that are hardened and finely tempered, then ground and polished.

	Product Code	Size Inches	mm	Packed per Carton	
PLASTERING Lightweight sturdy trowels for use in finishing plaster and stucco. Hardwood handle securely fastened to blade. No. 38-11-C has curved fitted handle.	**38-11-C**	11″ × 4¾″	280 × 120	5	
	K250-11-C	11″ × 4¾″	280 × 120	5	
	Q150-11-C	11	280	5	
CEMENT FINISHING Cast aluminum mounting securely fastened to blade. Straight hardwood handle.	**M5-16-C**	16″	405	5	
	M10-14-C	14″	355	5	
BRICK-PHILADELPHIA PATTERN General purpose brick trowel. Blade firmly secured to hardwood handle with steel ferrule.	**Q110-10-C**	10″	255	10	
POINTING Quality blade secured firmly to hardwood handle with a steel ferrule.	**M25-6-C**	6″	150	5	
	Q115-5-C	5″	125	5	
INSIDE CORNER—SQUARE RADIUS For finishing in corners this handy trowel features a mortised hardwood handle.	**M40-IN-C**	5″	125	5	
OUTSIDE CORNER—SQUARE RADIUS For use in finishing outside corners neatly and quickly. Hardwood handle mortised to blade.	**M45-OUT-C**	5″	125	5	
CEMENT EDGER—CURVED ENDS For use in finishing off the edges. Curved ends prevent trowel from gouging. Mortised hardwood handle.	**M50-C**	6″	150	5	
CEMENT GROOVER The V-shaped groover has curved ends which prevent gouging. Mortised hardwood handle.	**M55-C**	6″	150	5	

Power Tool Accessories

Circular Saw Blades

SANDVIK

Carbide Tipped

PRODUCT FEATURES

- Patented brazing process to safely secure tip to blade.
- Full carbide tip.
- Available with negative rake for extra strong cutting ability and safety.
- Alternate bevel set.
- Corrosion-resistant, anti-friction, epoxy coating.
- Round arbour—1/2"–5/8".
- Attractive packaging.
- Popular assortment.
- Competitive pricing.

	Product Code	Tooth Style	Size (in.)	Teeth	Packed per Carton
Alternate top bevel. Heavy-duty framing and cutting of rough materials where speed and finish are critical.	**SC12725**	12 Tooth	7 1/4	12	5
Nail cutting blade. Use for tough cutting jobs: used lumber or flooring with embedded nails. Negative rake provides extra strength as well as safety.	**SCNT725**	12 Tooth	7 1/4	12	5
Alternate top bevel. Use on plywood, hardboard, plastic laminates, formica, masonite, and similar tough materials.	**SC20725**	20-24 Teeth	7 1/4	20	5
	SC24800		8	24	5
Alternate top bevel for hard and soft woods, particle board, asbestos board, plywood and non-ferrous metals. Provides smooth splinterfree cutting.	**SC40725**	40-60 Teeth	7 1/4	40	5
	SC40800		8	40	5
	SC40900		9	40	5
	SC401000		10	40	5
	SC60800		8	60	5
	SC601000		10	60	5

Jigsaw/Sabre Blades

	Product Code	Packed per Carton	Length	Teeth Per Inch
WOOD CUTTING BLADES Fast, coarse, cuts in hard and soft woods and polystyrene up to 2″ (50mm). Carbon Steel, 6 teeth per inch, 3″ (76mm) length.	**SC-4**	10	3	6
Fast, medium finish cuts in hard and soft woods up to 2″ (50mm). Carbon steel, 8 teeth per inch, 3″ (76mm) length.	**SC-5**	10	3	8
Smooth finish cuts in hard and soft woods up to 1½″ (38mm). Carbon steel, 10 teeth per inch, 3″ (76mm) length.	**SC-8**	10	3	10
PLYWOOD AND SPECIALTY BLADES Fast, smooth cutting of wood, plywood, chipboard and plastic up to 2″ (50mm). Carbon steel, 6 taper ground teeth per inch, 3″ (76mm) length.	**SC-10**	10	3	6
Fast, smooth cutting of wood, plywood, chipboard and plastic up to 2″ (50mm). Carbon steel, 8 taper ground teeth per inch, 3″ (76mm) length.	**SC-12**	10	3	8
Extra smooth cutting of plywood, chipboard and plastic up to 1½″ (38mm). Carbon steel, 12 taper ground teeth per inch, 3″ (76mm) length.	**SC-15**	10	3	12
Narrow carbon steel blade for intricate scrollwork. Smooth cutting of wood and plywood up to 1¼″ (32mm). 12 teeth per inch, 2¾″ (70mm) length.	**SC-20**	10	2¾	12
Long-lasting high-speed steel. Cuts plywood, veneer, fibreglass and plastic up to 1½″ (38mm) with a super smooth cut. 10 taper ground teeth per inch, 4″ (102mm) length.	**SC-52**	10	4	10

Jigsaw/Sabre Blades

SANDVIK

	Product Code	Packed per Carton	Length	Teeth per Inch	
METAL CUTTING BLADES Long-lasting high-speed steel. Cuts steel and non-ferrous metals up to 3/8" (10mm) with a medium smooth finish. 12 taper ground teeth per inch, 2 3/4" (70mm) length.	**SC-62**	10	2 3/4	12	
Long-lasting high-speed steel. Cuts ferrous metal to 1/4" (6mm) and non-ferrous metal to 1/8" (3mm). 17 taper ground teeth per inch give a smooth finish. 2 3/4" (70mm) length.	**SC-71**	10	2 3/4	17	
Long-lasting high-speed steel. Slow very smooth cutting of ferrous metal to 3/32" (2mm) and fibreglass. 36 taper ground teeth per inch, 2 3/4" (70mm) length. Packed two blades per card.	**SC-75**	10	2 3/4	36	
STARTER PACK Combines four blades for all cutting applications: (1-SC-4, 1-SC-8, 1-SC-12, 1-SC-71).	**SC-400**	5			
ASSORTMENT PACK Combines eight blades for all cutting applications: (1 ea. SC-8, SC-10, SC-15, SC-20, SC-52, SC-4, SC-71, SC-75).	**SC-800**	5			

Bimetal Recipricating Saw Blades

For cutting ferrous metals 5/32" (9 Ga.) to 1/4" thick, non-ferrous metals 3/32" (13 Ga.) to 1/8" thick. Bar stock, fibreglass, transite, hard rubber, etc. 5 per plastic tube.	**7403-14** **7603-14**	5 5	4" 6"	14 14	
For cutting ferrous metals 1/8" (11 Ga.) to 5/32" thick, non-ferrous metals 1/16" (16 Ga.) to 3/32" thick. 5 per plastic tube.	**7403-18** **7603-18**	5 5	4" 6"	18 18	
For cutting ferrous metals 3/32" (13 Ga.) to 1/8" thick, non-ferrous metals 3/64" (18 Ga.) to 1/16" thick. 5 per plastic tube.	**7403-24** **7603-24**	5 5	4" 6"	24 24	
Heavy Duty blade for roughing-in work in wood and nail embedded woods. 5 per plastic tube.	**7603-06** **7203-06**	5 5	6" 12"	6 6	
	7603-10	5	6"	10	

CONVERSION CHART – JIGSAW BLADES

Sandvik Catalogue Number	Industrial B & D	Utility B & D	Industrial Skil	Milwaukee	Stanley	Wood Miller	Miller Falls
SC-62			24084			RM-50	9462
SC-71			24086	48-42-0120		RM-52	9464
SC-75	49491	U-1355	24087		83507	RM-54	9466
SC-4 6T SC-5 8T	54368	U-1350	22644	48-42-0420 48-42-0220	83504	RW-20	9450
SC-8	54369	U-1351	22649	48-42-0220	83505	RW-21	9451
SC-10	49493 or 54370	U-1363			83508	RW-24	9460
SC-12	39755	U-1360	22650	48-42-0600 48-42-0500	83512	RW-30	9457 9458
SC-52 10T SC-20 12T	39754	U-1359	22645	48-42-0620 48-42-0540	83511 83521	RW-31	

CONVERSION CHART – BIMETAL RECIPRICATING SAW BLADES

Sandvik Catalogue Number	Description	Rule Fit All	Capewell	Milwaukee	Sterling Diamond Saw	Lenox	Black & Decker
7403-14	4″ × 14T	ULB-214	70620	48-00-1510	1-414	414R	40112
7403-18	4″ × 18T	ULB-218	70630	48-00-1501	1-418	418R	40115
7403-24	4″ × 24T	ULB-224	77170	48-00-1530	1-424	424R	40117
7603-06	6″ × 6T	ULB-608				656R	
7603-10	6″ × 10T	ULB-310	70640		1-810	610R	
7603-14	6″ × 14T	ULB-314	70650	48-00-1540	1-614	614R	40113
7603-18	6″ × 18T	ULB-318	70660	48-00-1550	1-618	618R	40116
7603-24	6″ × 24T	ULB-324	70670		1-624	624R	40125
7203-06	12″ × 6T	ULB-1208				156R	

Wood Bits and Masonry Drills

WOOD BITS



High-alloy tool steel. The construction of the bits ensures smooth and fast drilling. Specially suitable for electrical power hand tools.
Bits individually packaged in attractive plastic display cases. Edges plastic coated for protection of cutting end.

Product Code	Width Inches	Width mm	Length Inches	Length mm
9530-10	3/8	10	6 1/4	156
9530-13	1/2	13	6 1/4	156
9530-16	5/8	16	6 1/4	156
9530-19	3/4	19	6 1/4	156
9530-22	7/8	22	6 1/4	156
9530-25	1	25	6 1/4	156
9530-32	1 1/4	32	6 3/4	171
9530-38	1 1/2	38	6 3/4	171

(EXTENSION SHAFT 9539)
Extension shaft available for wood bits from 5/8" (16 mm) to 1 1/2" (38 mm).

9539-6 Ext. Shaft 13 330

3/8" to 7/8" packed 10 per carton.
1" to 1 1/2" packed 5 per carton
Extension Shaft packed 5 per carton.

MASONRY DRILLS

These carbide tipped drills combine a very high surface hardness with maximum resistance to wear and torsion stresses.
Used for percussion drilling and rotary drilling in concrete, stone, brick, marble, breeze block, ceramic tiles, etc.

Packed 10 per carton—5/32"—5/8"
Packed 5 per carton—3/4"—1"
Long Reach Drills packed 1 per carton

Product Code	Drill Dia. Inches	Drill Dia. mm	Overall Length Inches	Overall Length mm
STANDARD				
463-4-75/A	5/32	4.0	2.95	75
463-5/85/A	3/16	5.0	3.34	85
463-5.5-85/A	7/32	5.5	3.34	85
463-6-100/A	15/64	6.0	3.93	100
463-6.6-100/A	1/4	6.6	3.93	100
463-7-100/A	9/32	7.0	3.94	100
463-8-120/A	5/16	8.0	4.72	120
463-9-120/A	11/32	9.0	4.72	120
463-10-120/A	3/8	10.0	4.72	120
463-12-150/A	15/32	12.0	5.90	150
463-13-150/A	1/2	13.0	5.90	150
463-14-150/A	9/16	14.0	5.90	150
463-16-150/A	5/8	16.0	5.90	150
463-20-160/A	3/4	20.0	6.30	160
463-25-160/A	1	25.00	6.30	160
LONG REACH				
463-6.5-400	1/4	6.5	15.75	400
463-10-400	1/8	10.0	15.75	400
463-14-400	9/16	14.0	15.75	400

Metal Cutting Tools

Hacksaw Blades

SANDVIK

Blades—Bulk

	Product Code	Blade Length Inches	mm	Teeth per Inch	Carton Weight lb.	kg	Packed per Carton
SANDFLEX BI-METAL—SHATTERPROOF A practically unbreakable bi-metal hacksaw blade. Sandflex has a tooth line of high-alloy high-speed steel that is electronbeam welded under high vacuum to a backing of spring steel. This combines a high cutting power and wear resistance even better than an all-hard-high-speed steel blade with a flexibility that is vastly superior to that of edge-hardened or conventional flexible blades. Sandflex blades cut fast and straight in all materials including stainless and alloy steel. They are perfect for plumbing and electrical installation work, or fitting and bench work calling for high standards of cutting performance and accuracy. Since the blade is shatterproof it is also ideal for technical and vocational schools.	**3806**	10 12	250 300	18, 24, 32 18, 24, 32	3.7 4.6	1.7 2.1	100 100
SANDCUT—HIGH SPEED A high-alloy blade of top-quality steel. Heat treated for superior hardness throughout. Permits cutting of the toughest materials which are firmly clamped.	**3805**	10 12	250 300	18, 24, 32 18, 24, 32	3.7 4.6	1.7 2.1	100 100
CUTFLEX—HIGH SPEED Edge-hardened, high-speed steel with tough and flexible centre. Precision-milled and precision-set steel. Special application for cutting operations in hard-to-reach places where the blade is subject to bending and twisting stresses.	**3808**	10 12	250 300	18, 24, 32 18, 24, 32	3.7 4.6	1.7 2.1	100 100
GOLDFLEX—STANDARD FLEXIBLE A high-frequency hardened tooth line and back but unhardened centre make this a flexible blade designed for cutting of softer metals.	**3807**	10 12	250 300	18, 24, 32 18, 24, 32	3.7 4.6	1.7 2.1	100 100

Blades—Carded

	Product Code	Blade Length Inches	mm	Teeth per Inch	Carton Weight lb.	kg	Packed per Carton
SANDFLEX BI-METAL—HIGH SPEED Carded one blade per card. See 3806 BULK for product description.	**3806**	12	300	18, 24,	0.9	0.4	10
SANDCUT—HIGH SPEED Carded two blades per card. See 3805 BULK for product description.	**3805**	10 12	250 300	18, 24, 18, 24,	3.7 4.6	1.7 2.1	10 10
GOLDFLEX—STANDARD FLEXIBLE Carded two blades per card. See 3807 BULK for product description.	**3807**	10 12	250 300	18, 24, 18, 24,	3.7 4.6	1.7 2.1	10 10



Tips on sawing

Be sure that your hacksaw frame is rigid and capable of putting adequate tension on the blade. Choose the right type of blade for the work you have to do.
Tension the blade sufficiently—a slack blade is more likely to snap. Check the tension regularly.
Saw as close to the vice as possible to avoid vibrations in the workpiece. Arrange the workpiece level with the elbow to give you a convenient working height. Use a light feed pressure at the beginning of the cut and from then on don't press harder than is necessary. The saw should cut on each forward stroke. Ease the pressure on the return strokes.
Saw at an unhurried pace—50-60 strokes a minute. Faster sawing may cause the blade to slide over the work rather than cut into it.
Never start sawing on a sharp edge—this can damage the teeth.
It is a rule in all sawing that at least **three teeth** at a time should be in contact with the workpiece. Cutting thin stock, for example, calls for more teeth per inch—otherwise the teeth would dig in and get torn off. Soft materials like **aluminum** require large chip spaces, i.e., a **large pitch,** to prevent the chips from clogging the teeth and interfering with sawing. Therefore fewer TPI.
Sandvik sawblades offer a choice of 18, 24 or 32 teeth per inch.

Choose the right blade

EDGE-HARDENED
Flexible blades are primarily intended for cutting-off work, in which the blade is subjected to rough treatment. The blade can be used on low-alloy steel, non-ferrous metals and softer, less abrasive materials.

ALL-HARD
With these blades you can saw practically any kind of material. However, this type of blade should not be used when the workpiece cannot be firmly clamped, as it may break or shatter if subjected to abnormal bending.

BI-METAL
These blades combine the advantages of the two other groups. Bi-metal blades are suitable for all kinds of sawing, from the softest to the toughest materials. They are virtually unbreakable, stay sharp for a very long time and cut fast.



The best blade deserves the best frame





	Product Code	Overall Length Inches	mm	Blade Length Inches	mm	Teeth per Inch	Carton Weight lb.	kg	Packed Per Carton
PROFESSIONAL DELUXE HACKSAW Features advanced styling and design, comfortable grip and knuckle guard. Tension device in handle eliminates awkward wing-nut. Frame design permits "flush cutting" as no part of the frame extends below the blade. Two settings of blade; straight and 55° angle. Top of frame has capacity for spare blade storage. Comes complete with a 12″ (300 mm) "Sandflex Bi-Metal" blade.	**225**	15¾	400	12	300	24	7.3	3.3	4
PROFESSIONAL HACKSAW A new compact hacksaw frame designed for comfort and full control. Fits easily into a tool box. Blade can be set at 55° or straight. Fitted with a 12″ (300 mm) "Sandflex Bi-Metal" blade with widest application.	**226**	15¾	400	12	300	24	7.3	3.3	4
HACKSAW—ADJUSTABLE Heavy-duty, untwistable frame ensures strength, balance and a clear view of the work piece. Blades can be stored in the handle. Unique pin design enables user to adjust cutting angle without removing pin. Comes with the "Sandcut High-Speed" 12″ blade. Can be adjusted to 10″ or 12″.	**227-C**	15¾	400	10″ to 12″	300	24	15.0	6.8	10
HACKSAW An economical hacksaw of modern design with styled grip for knuckle protection. Blade tensioning in two positions. Low weight with overall length less than most other types. Comes with the "Sandcut" 12″ hacksaw blade.	**K102**	15¾	400	12	300		4.8	2.3	5
MINI HACK—DELUXE Unique handle design features comfort and non-slip grip. All metal construction. Reaches hard to get places and cuts flush even in confined areas. Comes with the "Goldflex" 10″ blade. Carded.	**229-C**	10½	275	10	260		4.0	1.8	10



	Product Code	Adjustable Frame	Depth of Frame Inches	mm	Carton Weight lb.	kg	Packed Per Carton
HEAVY DUTY HACKSAW–TRADITIONAL Heavy-duty tubular steel fame for 10″ (250 mm) or 12″(300 mm) blades. Strong, well balanced die cast black handle, with shaped pistol grip and hand-guard and 10″No. 3807 blade.	**388**	10″to 12″	4½	114	22.0	10.0	10

Snips

SANDVIK

AVIATION SNIPS
Snips have non-slip serrated jaws that are hot-dropped forged. Jaws are made from special molybdenum steel to give high wear resistance. Extra strength compound lever action to withstand severe strain.
Jaws are nickel-chrome finish to resist rust.


Colour coded handles for easy identification
Protective safety latch
Hang up hole
Nickel chrome finished molybdenum steel jaws for high cutting performance
Heavy duty spring for clean self opening action
Comfortable vinyl grips for good control

	Product Code	Length Inches	mm	Carton Weight lb.	kg	Packed per Carton
AVIATION SNIP-LEFT CUT (RED HANDLE) Cuts left from tight curves to straight. Comes mounted on a display card.	9500-A-LT	10	260			6



AVIATION SNIP-RIGHT CUT (GREEN HANDLE) Cuts right from tight curves to straight. Comes mounted on a display card.	9500-A-RT	10	260			6



AVIATION SNIP-STRAIGHT (YELLOW HANDLE) Cuts straight on wide curves from left or right. Ideal for home craftsman. Comes mounted on a display card.	9500-A-STR	10	260			6



SOLID STEEL TIN SNIPS
Sandvik tin snips are available in both straight pattern or duckbill combination pattern. Jaws are hot-dropped forged for maximum performance.


Comfortable bows
High quality steel hot dropped forged for long snip life
Vinyl coated handles
Chromed jaws provide high resistance to rust

	Product Code	Length Inches	mm	Carton lb.	Weight kg	Packed per Carton
STRAIGHT PATTERN SNIPS Universal home handyman's tool, as well as traditional snip for trades. Primarily for straight line cutting.	**9500-T-07**	7	180			6
	9500-T-10	10	260			6
	9500-T-12	12	325			6
DUCKBILL COMBINATION PATTERN SNIPS Similar use to straight pattern with added versatility of being able to cut moderately tight curves in light stock.	**9500-DB-07**	7	180			6
	9500-DB-10	10	260			6
	9500-DB-12	12	325			6
PROFESSIONAL BYPASS AVIATION SNIPS Hot drop forged molybdenum steel blades which are twice tempered for flexibility and cutting strength. Angled cutting head for ease of use. Cuts up to 16 gauge. Green handle – cuts straight and right.	**9500-418/10-GREEN** **H.D. Snip-Right.**					6
Red-Handle – Cuts straight and left.	**9500-418/10-RED** **H.D. Snip-Left.**					6









5

Files

SANDVIK

The file length
is always given exclusive of the tang. Files are available between 4″ (100 mm) and 14″ (350 mm) in length, depending on type.



The shape of the file
is determined by the shape of the workpiece. There is a file for every type of work.

Type of Cut
File cut should be selected for the material of the workpiece, the desired removal of material and the surface finish.

Cut Coarseness
The number of teeth per inch determines the cut coarseness. As the number of teeth per inch decreases, the degree of coarseness and length of the file increases.

Single Cut
Cuts steel.
Double Cut
Cuts steel, cast iron, brass, and bronze.
Rasp Cut
Cuts hard plastics, wood, aluminum and spongy materials.
Milled tooth
Cuts steel, brass, bronze, hard plastics, wood, aluminum and spongy materials.
Multi-Metal (Oberg Cut)
Cuts steel, cast iron, brass, bronze, hard plastics, and wood.
Bastard
Second Cut
Smooth

Selection
of cut is selected according to the material of the workpiece, the desired removal of material and the surface finish.

General Use	Description	Product Code
WOOD HOMEOWNER'S FILE Rasp cut: rough filing of wood, plywood, soft plastic. Double cut: fine filing of steel, hard plastics, formica. Packed six per carton, each with a display sleeve.	Length 8″ (200 mm). Flat, parallel with two flat, uncut edges. One side bastard rasp cut, the other side double 2nd cut. Rasp cut 3.8 teeth per cm, double cut 17 teeth per cm.	**152**
MULTI-DUTY HOMEOWNER'S FILE Double cut: rough edges of spades, pickaxes, axes, garden shears, mower blades, etc. Single cut: finishing edges of axes, garden shears, mower blades, chisels, knives, scissors, etc. Packed six per carton, each with a display sleeve.	Length 8″ (200 mm). Flat, parallel with two flat edges. One side bastard cut, the other side single 2nd cut. Double cut 12 teeth per cm, single cut 20 teeth per cm.	**153**
HOBBY SET Gift set containing 1 each of the No. 152 Wood Homeowner's File and No. 153 Multi-Duty Homeowner's File. Packed five per carton.		**154**





SANDVIK

File Accessories

	Catalogue Number	Size	Fits File	Minimum Quantity
FILE CLEANER To keep files clean and clog free. Wooden handle with bristles on one side and card of wire on the other.	**467**			1.
FILE HANDLES Selected wood with a smooth finish and comfortable grip. Ferrule end is slit to allow for expansion and gripping tongs of different sizes. Spiral ferrule prevents cracking or splitting of handle.	**1** **2** **3** **4**	4 1/4″ 4 9/16″ 4 7/8″ 5 3/8″	3″-6″ 6″-10″ 10″-12″ 14″-16″	1.
CURVED TOOTH HOLDER Holds flat, flexible files only. Wood handle and wingnut assembly.	**458**	10″ 12″ 14″		12.
CURVED TOOTH HOLDER Holds 14″ flat, flexible files only. Adjustable frame.	**462**	14″		1.
CHAIN SAW FILE & HOLDER These round chain saw files were developed and perfected to sharpen round hooded chain saw teeth. They hold proper tooth shape and leave a smooth cutting edge. The file holder insures properly filed saw teeth by guiding the file and maintaining accurate sharpening angles. This file holder may also be used with the following 8″ Sandvik chain saw files: 3/16″ and 13/64″.	**141-3C** **141-4C**	5/32″ pitch 7/32″ pitch		6.

Files – Carded

CARDED FILES
All Sandvik files* are provided in a unique sleeving system to allow customers the ability to "feel" the file.

Carded assortments other than those shown are available upon request.

* Except chainsaw files.



5

Files – Carded

SANDVIK

	Product Code	Length Inches	mm	Carton Weight lb.	kg	Packed per Carton	
MILL BASTARD Suitable as both engineering and sharpening file. Used for polishing and deburring work in lathes as well as for sharpening tools and implements such as spades, shovels, hoes, scrapers, etc.	**1-143-06-1-0-C** **1-143-08-1-0-C** **1-143-10-1-0-C**	6 8 10	150 200 260			10 10 10	
ROUND BASTARD For filing holes, large fillets and concave surfaces.	**1-230-06-1-0-C** **1-230-08-1-0-C** **1-230-10-1-0-C**	6 8	250 200			10 10	
HALF ROUND BASTARD For filing concave and flat surfaces and large holes. Suitable for deburring work.	**1-210-06-1-0-C** **1-210-08-1-0-C** **1-210-10-1-0-C**	8	200			10	
SLIM TAPER – 2nd CUT For shaping saws with fine cross toothing.	**4-186-06-2-0-C**	6	150			10	
EXTRA CUT TAPER – 2nd CUT		6	150			10	
FLAT FILE For filing flat surfaces. High removal rate. Tapered towards the point to allow user to get more easily into angles and corners.	**(Bastard)** **(Smooth)** **1-100-**	8 8	150 150			10 10	

	Catalogue Number	Length	Minimum Quantity	
WOOD RASP – CABINET RASP BASTARD The thin, half round wood rasp is used for working with wood, plywood, wallboard, plastics and other soft materials. The file's surface provides a rasp cut, while its edges give a file cut. The wood rasp is a versatile file for general woodworking.	**343-8C**	8″	6.	
CHAINSAW FILES Professional chainsaw files with Sandvik "Special 13" design to allow for fast removal of material combined with smooth cutting action. Files single packed and skin-wrapped for easy display.	**168-6-3, 2-12P-C** **168-8-4, 0-12P-C** **168-8-4, 8-12P-C** **168-8-5, 2-12P-C** **168-8-5, 5-12P-C** **168-8-6, 4-12P-C**	6″ × 1/8″ Dia. 8″ × 5/32″ Dia. 8″ × 3/16″ Dia. 8″ × 13/64″ Dia. 8″ × 7/32″ Dia. 8″ × 1/4″ Dia.	12 12 12 12 12 12	

SANDVIK

Engineering Files

	Product Code	Cut Coarseness	Taper	Length Inches	mm	Packed per Carton
Filing flat surfaces, sharp corners, shoulders and deburring.	**100** Hand	Bastard	Parallel	4,6,8,10	100,150,200,250	10
			Parallel	12,14	300,350	10
		Second Cut	Parallel	4,6,8,10	100,150,200,250	10
			Parallel	12,14	300,350	10
		Smooth	Parallel	4,6,8,10	100,150,200,250	10
			Parallel	12,14	300,350	10
For the same job as the hand file, but is sometimes preferred because its tapered shape enables the operator to get more easily into angles and corners.	**110** Flat	Bastard	Taper	4,6	150	10
			Semi Taper	8,10	200,250	10
			Semi Taper	12,14,16	300,350	10
		Second Cut	Taper	4,6	150	10
			Semi Taper	8,10	200,250	10
			Semi Taper	12,14	300	10
		Smooth	Taper	4,6	150	10
			Semi Taper	8,10	200,250	10
			Semi Taper	12,14	300	10
For filing concave and flat surfaces and for big holes.	**210** Half Round	Bastard	Taper	4,6	100,150	10
			Semi Taper	8,10	200,250	10
			Semi Taper	12,14,16	300,350	10
		Second Cut	Taper	4,6	100,150	10
			Semi Taper	8,10	200,250	10
			Semi Taper	12,14	300	10
	Smooth	Smooth	Taper	4,6	100,150	10
			Semi Taper	8,10	200,250	10
			Semi Taper	12,14	300	10
For filing holes, mouldings and grooves.	**230** Round Bastard	Bastard	Taper	4,6	100,150	10
			Semi Taper	8,10	200,250	10
			Semi Taper	12,14	300,350	10
		Second Cut	Taper	4,6	100,150	10
			Semi Taper	8,10	200,250	10
			Semi Taper	12	300	10
		Smooth	Taper	4,6	100,150	10
			Semi Taper	8,10	200,250	10
			Semi Taper	12	300	10
For filing grooves, square holes, inside corners and for finishing cutting tools.	**160** Square Bastard	Bastard	Parallel	4,6,8,10	100,150,200,250	10
			Parallel	12,14	300	10
		Second Cut	Parallel	4,6,8,10	100,150,200,250	10
			Parallel	12	300	10
		Smooth	Parallel	4,6,8,10,12	100,150,200,250	10
For filing flat surfaces and angles, corners and grooves, etc.	**170** 3 Square	Bastard	Taper	6,8,10	150,200,250	10
			Taper	12	300	10
		Second Cut	Taper	6,8,10	150,200,250	10
		Smooth	Taper	4,6,8,10	100,150,200	10

Engineering Files

SANDVIK

	Product Code	Cut Coarseness	Taper	Length Inches	mm	Packed per Carton
This type of file is, because of its bastard single cut, suitable both in workshops and for sharpening. It is useful for filing where smoothness is important. Also good for polishing and deburring work in lathes. It has a wide application for the sharpening of tools such as spades, shovels, pick-axes, etc.	**143** Mill	Bastard	Parallel	4,6,8,10	150,200,250	10
			Parallel	12,14,16	300,350	10
		Second Cut		4,6,8,10		10
				12,14		10
		Smooth		4,6,8,10		10
				12,14		10
For jobs where the hand file is too wide or too thick, e.g. for the filing of narrow grooves for the manufacture of dies and punches, etc.	**102** Pillar	Bastard	Parallel	6,8,10	150,200	10
		Second Cut	Parallel	6,8,10	150,200	10
		Smooth	Parallel	6,8	150,200	10
For polishing and deburring work in lathes.	**104** Lathe	Second	Parallel	10	250	10
			Parallel	12,14	300,350	10
		Smooth	Parallel	10	250	10
				12,14	300,350	10
Useful for all flat filing. "Oberg Cut" gives high removal and good surface finish in most materials.	**106** Hand	Oberg Cut	Parallel	8,10	200,250	10
			Parallel	12,14	300	10
For filing narrow grooves and passages, etc.	**111** Warding	Bastard	Taper	4,6,8,10	100	10
		Second Cut	Taper	4,6,8	125,150	10
		Smooth		6,8		
For filing and adjustment for contacts in magnetic devices, timers and distributors, etc.	**115** Contact		Parallel	$4^{5}/_{16}$	108	10
For filing narrow passages in cutting and punching tools, etc.	**250** Knife	Bastard		4,6		
		Bastard	Taper	8,10	200,250	10
		Second Cut	Taper	6,8	150,200	10
		Smooth	Taper	8	200	10
The shape of the teeth makes the diagonal file especially suitable for soft steel stainless steel, aluminum alloys and hard plastics.	**330** Wasa Diagonal Hand	Bastard	Parallel	8,10,12,14	250,300	10
For sharpening wood saws, circular saws, felling and gang saws with fine teeth, and band saws. Excellent for draw and fine filing, polishing and deburring work. Often used in the engineering industry as lathe and deburring file.	**138** Mill Saw Thin	1 Rd. Edge Smooth	Parallel	6,8,10	150,200,250	10
			Parallel	12,14	300	10
For sharpening wood saws, circular saws, felling and gang saws with fine teeth and band saws. Excellent for draw and fine, polishing and deburring work.	**140** Mill Saw Thin	2 Rd. Edges Smooth	Parallel	6,8,10	150,200	10
For sharpening wood saws, circular saws, felling and gang saws with fine teeth and band saws. Excellent for draw and fine filing, polishing and deburring work.	**142** Mill Saw Thin	2 Flat Edges Smooth	Parallel	6,8	150,200	10
For sharpening timber files, circular saws and felling saws with fine teeth.	**144** Mill Saw Extra Thin	1 Rd. Edge Smooth	Parallel	8	200	10
For sharpening timber files, circular saws and felling saws with fine teeth.	**146** Mill Saw Extra Thin	2 Rd. Edges Smooth	Parallel	8	200	10

Engineering Files

	Product Code	Cut Courseness	Taper	Length Inches	Length mm	Packed per Carton	
For sharpening saws with cross-cut toothing and tooth gullet angle 60°.	**183** Taper Saw	Second Cut	Taper	5,6,7 8,10	125,150,175 200,250	10	
For sharpening all saws with fine cross-cut toothing.	**186** Slim Taper	Smooth	Taper	4,4½,5 6,7,8,10	100,112,125 150,175,200	12	
For sharpening all saws with fine cross-cut toothing.	**187** Extra Slim Taper	Smooth	Taper	4,4½,5 6,7,8	100,112,125 150,175	10	
For sharpening all saws with fine cross-cut toothing.	**188** Double Extra Slim Taper	Smooth	Taper	4,5 6,7,8	100,125	10	
For sharpening saws with high, fine teeth.	**261** Knife Saw	Smooth	Parallel	6,8	150,200	10	
For sharpening bowsaw blades, and other hand saws with coarse, straight teeth. Note that saws with high-frequency hardened tooth points cannot be sharpened with a file.	**270** Double Edge Saw	Second Cut	Parallel	6,8	150,200	10	
For sharpening saws with straight fine teeth. Note that saws with high-frequency hardened tooth points cannot be sharpened with a file.	**272** Wasa Saw Double Edge	Smooth	Parallel	6	100	10	

5

Garden Tools

SANDVIK Bowsaws & Bowsaw Blades

	Product Code	Length of Blade Inches	mm	Carton Weight lb.	kg	Packed per Carton
BOWSAW-PROFESSIONAL A rugged bowsaw for the professional woodsman, Frame of extra strong, cold raw steel tube for durability. Smooth action tension-lever for quick blade change. Delivered with Sandvik No. 23 or 51 hardened tooth point blade and plastic blade guard.	**8-51**	24	610	16.3	7.4	10
	8-23	30	762	18.1	8.2	10
	8-23	36	914	29.1	13.2	10
	8-23	42	1068	3.5	1.6	1
BOWSAW-ECONOMY An all-round saw for gardeners, farmers and builders. Frame made from oval Swedish steel-tubing for extra strength. Easy action, tension-lever for quick blade changing. Delivered with patented "Hardpoint" blade.	**9.51**	21	533	13.1	6.0	10
	9.51	24	610	16.3	7.4	10
	9.51	30	762	18.1	9.2	10
	9.23	36	914	29.1	13.2	10
BOWSAW-SPECIALITY A mine bowsaw, used extensively in the mining industry because of the depth of its frame and the easiness to replace the blades. Hardened and non-hardened blades available separately.	**19-36**	36	914	10.0	4.5	10
	See No. 23—36" hardened blade or No. 129—36" non-hardened blade					
BOWSAW-CAMPING For camping, light landscaping and pruning around the home and garden. Frame of tough Swedish steel tubing. Famous "Hardpoint" blade and tension-lever handle for simple, quick blade changing.	**331-51-21**	21	533	10.0	4.5	10

Bowsaw Blades

	Length Inches	mm	Width Inches	mm	Carton Weight lb.	kg	Packed per Carton
HARDPOINT BLADE No. 21 Special induction hardened teeth. Two cutting teeth to each raker plus narrower blade promotes extra fast cutting of green wood.	**36**	914	3/4	18	1.9	0.9	10
	42	1068	3/4	18	2.5	1.0	10
	(individually wrapped)						
HARDPOINT BLADE No. 23 Special induction hardened teeth. Four peg teeth to each double raker for fast cutting of green wood.	**30**	762	3/4	18	1.9	0.9	10
	36	914	3/4	18	1.9	0.9	10
	42	1068	3/4	18	2.5	1.1	10
	(individually wrapped)						
HARDPOINT BLADE No. 51 Special induction hardened teeth. Peg tooth design, 3/4" (18 mm) wide for vibration-free cutting and smooth finish.	**21**	533	3/4	18	1.3	0.6	10
	24	610	3/4	18	1.3	0.6	10
	30	762	3/4	18	1.9	0.9	10
	36	914	3/4	18	1.9	0.9	10
	(individually wrapped)						
NON-HARDENED BLADE No. 23/129 For the professional. Four peg teeth to each double raker.	**36**	914	3/4	18	1.9	0.9	10
	42	1068	3/4	18	2.5	1.1	10
	(individually wrapped)						

6

Pruning Tools and Shears

SANDVIK

Pruning Saws

	Product Code	Length of Blade Inches	mm	Teeth per inch	Carton Weight lb.	kg	Packed per Carton
PROFESSIONAL GARDEN PRUNING SAW A special saw for clearing and pruning. Hook at tip prevents blade from slipping out of kerf. The striking knife cuts through bark and surface wood on the underside of the branch, preventing bark stripping. Can be attached to pole. Reverse fleam toothing (cut on pull stroke). Sleeved.	**385**	14	360	5	5.11	2.3	5
GARDEN AND PRUNING SAW A garden saw for clearing and pruning. Easily attached to a pole and the blade can be fixed into 3 different positions. Reverse fleam tooth blade (cutting on pull stroke) is plastic coated.	**384**	15	375		5.0	4.2	5
GARDEN PRUNING SAW Flat ground. Curved blade. Sharpened and set. Reverse fleam toothing (cutting on pull stroke). Plastic coated. Varnished plywood handle.	**4212-11** **4212-14**	11 14	275 350		5.0 5.0	4.2 4.2	5 5
PRUNING CAMPING SAW Special locking mechanism for locking blade in open and closed position. Peg toothing for smooth cut. Fold up feature ideal for campers.	**380**	10	250		2.7	1.1	5
PRUNER Model with replaceable blade, combining rigidity and low weight with modern design.	**P120-20** **P120-23**	8 9	225 325		4.4 5.5	2.0 2.5	6 6
SPARE BLADES fit models **P120-20** **P120-23**	**220-PG** **223-PG**						5 5

SANDVIK

Pruning Tools and Shears

	Product Code	Length Inches	mm	Carton Weight lb.	kg	Packed per Carton
PRUNER – ANVIL TYPE Light, sturdy, all-round pruner. Replacement blade with low weight handle.	**P37-20**	7¾	195	4.4	2.0	6
TREE PRUNERS (POLE PRUNER) Designed for pruning from ground level. Easy to handle. Cuts fibres cleanly without bruising. 1¾" (30-45 mm) cutting capacity. Clamp adjusts to pole diameter.	**P34-27** **P34-37**	10½ 14½	270 370	2.9 5.3	1.3 2.4	2 2
LOPPING SHEAR – CALIFORNIAN A sturdy tool for those thicker branches. The small head and thinner counter-blade allows getting in closer to the branches.	**P14-50**					
HEDGE/GRASS SHEAR Sturdy "full size" hedge shear with excellent cutting capacity. Serrated top blade firmly grips swaying branches. Comfortable hardwood handle with shock absorbing rubber buffers.	**P54-54/23**	21½	540	10.3	4.7	4
GRASS SHEARS-SWIVEL HANDLE Grass shears to clean out trees and shrubs along walls or border. Available with swivel mechanism to choose three different cutting angles. Upper (moving) blade is pressed towards lower (fixed) blade. Blade is of high grade cutlery steel, chromium plated.	**9589-76**	13	340	6.2	2.8	6
GRASS SHEAR Grass shear for use along walls or borders. Non-rotating handles. Upper (moving) blade is pressed towards lower (fixed) blade. Blade made of cutlery steel, chromium plated.	**9589-77**	12	330	6.2	2.8	6







6

Axes

SANDVIK

	Product Code	Handle Length inches	mm	Weight w/o Handle lb.	kg	Carton Weight lb.	kg	Packed per Carton
AXE—DELUXE								
CAMPER—for camping, scouting	**421-1 Camper**	16	375	1 1/4	0.6	7.9	3.6	4
HUNTER—for general purpose	**421-1 Hunter**	20	500	1 3/4	0.8	10.6	4.8	4
WOODSMAN—for brush clearing, firewood	**421-3 Woodsman**	26	650	2 1/4	1.0	13.2	6.0	4



REPLACEMENT HANDLE (DELUXE)								
16″ Handle	**421-11**	16						4
20″ Handle	**421-21**	20						4
26″ Handle	**421-31**	26						4

	Product Code	Overall Length inches	mm	Weight w/o Handle lb.	kg	Carton Weight lb.	kg	Packed per Carton
CLEARING AXE (BUSH AXE)								
Ideal for clearing brush and young trees. Light-weight, durable and fast cutting. Razor-sharp replacement blades. Cuts faster, with less fatigue than an ordinary axe and its balance makes it ideal for one-hand cutting while holding brush aside.	**No. 1**	29	720	1 1/2	0.7	2.2	1.0	1

NO. 2 SPARE BLADE
LENGTH 7″ (180 mm)
Packed ten per carton

NO. 1H REPLACEMENT HANDLE
LENGTH 22″ (550 mm)
Packed one per carton

Link Locks

The perfect repair and jointing links with hundreds of uses. Six popular sizes of special boron-alloyed steel to withstand almost twice the load of standard link locks. The heavier they are loaded, the harder they hold.

Product Code	Size Inches	mm	Load Tolerance lb.	Carton Weight lb.	kg
E-3	1/8	3	1,500	1.1	0.5
E-4	3/16	5	2,500	1.4	0.6
E-6	1/4	6	8,000	2.4	1.1
E-8	5/16	8	11,500	4.0	1.8
E-10	3/8	9.5	14,000	7.4	3.7
E-12	1/2	12.5	31,000	17.1	7.8

Packed twenty of one type per carton



Chain Saw Accessories and Scythes

Hobby Guide Bars

Applies to the following Saw brand	Product Code	Length Inches	mm	Length	Drive Link Count
Frontier Husqvama Jobu Jonsereds Lombard Partner Skil	**5C370-45** **5C370-50**	12 14		45 50	
McCulloch Remington	**5C371-44** **5C371-49**	12 14		44 49	
Homelite	**5C371-48** **5C371-53**	12 14		48 53	
Echo Hitachi Jobu Jonsereds Poulan Stihl	**5C372-45** **5C372-52** **5C372-57**	12 14 16		45 52 57	

All bars have .370 pitch, .050" guage

Sandvik 13 Chainsaw Files

Features 13 rows of teeth (instead of 10-12 conventional) and improved teeth angle. This combines more efficient material removal with smoother filing.

Product Code	Length Inches	mm	Diameter
168-6-3.2-12P	6		1/8
168-6-3.5-12P	6		9/64
168-6-4.0-12P	6		5/32
168-8-4.0-12P	8		5/32
168-8-4.8-12P	8		3/16
168-8-5.2-12P	8		13/64
168-8-5.5-12P	8		7/32
168-8-6.3-12P	8		1/4

Packed twelve per carton.

SELECT THE CORRECT FILE FOR THE CHAIN

Chain pitch	File Dimension Inches	mm
[illegible]	[illegible]	[illegible]
.370	9/64	3.5
[illegible]	[illegible]	[illegible]
.325	3/16	4.7
[illegible]	[illegible]	[illegible]
	7/32	5.5
[illegible]	[illegible]	[illegible]
7/16"	7/32	5.5
[illegible]	[illegible]	[illegible]

Tips on correct saw chain filing



1. Leading edge. An 85-90° leading edge gives the best cutting performance.



2. The wedge angle should be 60°. If the leading edge is correct, the wedge angle will automatically be right. Check by measurement that all teeth have been filed down to the same length.



3. Make sure that the depth gauge setting, marked A, is correct and the same on all depth gauges. Do not forget to round off the corner, marked B.



4. The filing angle. A 30-35° angle is the most common one. Check the angle frequently during filing. If the filing angles vary, the chain will not cut straight

Swedish and Austrian Scythes and Sickles

Sickles and scythes for general garden use or clearing large tracts of land.

Product Code	Description	Length of Blade
No. 0	Grass Sickle	
No. 1	Scythe Sickle	
No. 5	Banko Scythe	28", 30", 32"
No. 13	Banko Scythe	28", 30", 32"
No. 26	Banko Scythe	18", 20", 22"
No. R7R	Austrian Scythe	28", 30"
No. 440	Austrian Scythe	20", 22"

All sickles and scythes packed twelve per carton
Specify American Tang or European Tang when ordering

Merchandisers

SANDVIK

SES SYSTEM (SANDVIK EXPO SERVICE)
- Chrome plated display system.
- Custom designed to fit your merchandising needs.
- Sign carries relevant tell and sell information to your customers.

	Product Code	Packed per Carton	
SANDPLATE Contains: 10 of each 412-1-50 412-1-160 412-2-50 412-2-160 415-50 415-160	**SES-1284**	1	
HANDSAW Contains: 4 each 277 26″ × 8 pt.	**SES-1012-Hand**	1	
HACKSAW Contains: 4 each 225	**SES-1012-Hack**	1	
MITRE GUIDE Contains: 6 each 232	**SES-1204/A**		

	Product Code	Packed per Carton	
H.D. COMPASS SAW & BLADES Contains: 4 each 321 Compass Saw 10 each Blades – Metal 5 each Blades – Wood	**SES-1220/A**		

SANDVIK'S SPACE SAVER MERCHANDISERS

- Maximum of product on minimum of space.
- Simple to install. Goes with any merchandising wall.
- Provides general do-it-yourself information on convenience bilingual header cards for today's more knowledgeable customer.

HANDSAW MERCHANDISER Contains: 1 each 288 22″ × 12 Pt. 1 271 26″ × 8 Pt. 1 271 22″ × 12 Pt. 2 756 26″ × 8 Pt. 2 297 26″ × 8 Pt. 3 246 24″ × 8 Pt.	**SHD-20**	1	

HACKSAW BLADE MERCHANDISER Contains: 10 Sandflex 10″ × 24T 20 Sandflex 12″ × 18T 40 Sandflex 12″ × 24T 20 Sandflex 12″ × 32T 10 Sandcut 10″ × 24T 30 Sandcut 12″ × 24T 20 Goldflex 10″ × 24T 40 Goldflex 12″ × 18T 30 Goldflex 12″ × 24T	**SB-100E**	1	

Merchandisers

SANDVIK

	Product Code	Packed per Carton	
BOWSAW FRAME & BLADE MERCHANDISER Contains: 3 each 331-21-51 Bowsaw 3 9-51-21 Bowsaw 3 9-51-30 Bowsaw 3 9-23-36 Bowsaw 5 51-21 Blade 5 51-24 Blade 5 51-30 Blade 5 51-36 Blade	**BSK28**	1	
HACKSAW FRAME MERCHANDISER Contains: 2 each 225 2 227C 2 388 2 K102 2 229C	**SHF-30**	1	
CHISEL MERCHANDISER Contains: 4 each 424-6 424-10 424-12 424-18 424-25 424-32 424-38	**424-D28**	1	
FILE MERCHANDISER Contains: 5 each #3 File Handle 5 # 2 File Handle 10 #143 – 6″ Mill Bastard 10 #143 – 8″ Mill Bastard 5 #143 – 10″ Mill Bastard 5 #187 – 6″ Extra Slim Taper 2nd Cut 5 #230 – 8″ Round Bastard 5 #186 – 6″ Slim Taper 2nd Cut 5 #168 – 6″ × 5/32 Chainsaw File 5 #168 – 8″ × 7/32 Chainsaw File 5 #152 – Multi Duty-Wood 5 #152 – Multi Duty-Metal	**FM-1**	1	

Industrial Tools

In addition to Consumer Hand Tools, Sandvik manufactures and supplies top-quality Industrial and Forestry tools. These two pages are an indication only of the product range available. For complete product listing and product codes please consult the Sandvik Industrial or Forestry Product Price Lists. All products reflect Sandvik's dedication to quality and tough professional standards.

Sandvik Hand Hacksaws

Sandvik Hand Hacksaw Blades

- Sandcut Series, All Hard High Speed
- Sanflex Series, Bi-Metal High Speed
- Cutflex Series, Flexible Molybdenum High Speed
- Goldflex Series, Standard Flexible

Sandvik Power Hacksaw Blades

- H.S. All Hard
- Sandflex Bi-Metal, H.S. Shatterproof
- Blades for "Kasto" Machines, High Speed, All Hard
- Blades for "Kasto" Machines, Sandflex, Bi-Metal, High Speed Shatterproof

Sandvik Specialty Bandsaw Blades

- Friction
- Furniture
- Butcher
- Porta-Bands (Flexback & Bi-Metal)
- Super Bimetal (M42)
- V.I.P. Bimetal (Variable Pitch)
- Hardback
- Bi-Metal High Speed Steel
- Hard Edge Flexible

Sandvik Engineers Files Complete range of Files

Sandvik Hole Saws (Bi-Metal)

Sandvik Arbours

- Extension Spindle
- Morse Taper
- Adaptor

Forestry Tools

Sandvik Roll Top Guide Bars available for the following models

Alpina	Lombard	Remington
Danarm	McCulloch	Sears
Dolmar	Montgomery	Skil
Echo	Olympic-Oleo-Mac	Solo
Homelite	Partner	Stihl
Husqvarna	Pioneer	Western Auto
Jobu	Poulan	Wright
Jonsereds		

Sandvik Replacement Nose Sprockets
Sandvik Pro Tip Guide Bars
Sandvik Special 13 Chain Saw Files
Sandvik Service Tools

- File Holder
- Grease Gun (metal) for roll top bars
- Grease Gun (plastic) for roll top bars
- Power Saw Service Tool for replacing nose sprockets and straightening bars

Sandvik Logging Tools And Aids

- Felling Wedges (plastic and metal)
- Breaking Bar
- Tree Caliper
- Lifting Hook
- Holder For Measuring Tape
- Holster For Lifting Tongs And Lifting Hook
- Holster For 4 Different Tools

Sandvik Forest Cultivation And Clearance Tools

- Clearing Axe
- Clearing Axe Spare Handles and Blades

Sandvik Circular Saw Blades for following Brushcutters

- JO-BU
- Husqvarna
- Partner
- Jonsereds
- Stihl
- Homelite

Sandvik Forestry Safety Equipment

- Hardhat
- Visor (with hardware for helmet)
- Sonic Earmuffs (for helmet)
- Complete Head Protection (safety helmet, visor and sonic earmuffs)

Sandvik Link Locks
Sandvik Bow Saws
Sandvik Bow Saw Blades
Sandvik Axes

- Campers Axe
- Hunters Axe
- Woodsman's Axe
- Professional Axes
- Replacement Handle

Notes

Notes

How to order

To order, use Catalogue Numbers, or product descriptions where Catalogue Numbers are not given. All orders are subject to availability, and specifications are subject to change without notice.

Recommended retail prices, minimum order levels and carriage terms are as detailed in current price lists. Orders are accepted on our current standard conditions of sale and no other.

To order, contact your Sandvik representative or write to:

CANADA

6835 Century Ave.
Mississauga, Ontario L5N 2L2
Phone: (416) 826-8900
Telex: 06-97743

U.S.A.

Sandvik Saws and Tools
P.O. Box 1220
Scranton, Pennsylvania 18501-1220
Phone: (717) 587-5191
TWX 510 671-4500

SANDVIK
Saws and Tools

IN CANADA:
HEAD OFFICE:

Sandvik Canada Corp.
Saws & Tools Division
6835 Century Ave.
Mississauga, Ontario L5N 2L2
Phone: (416) 826-8900
Telex: 06-97743

REGIONAL SALES OFFICES:

Sandvik Canada Corp.
6391 E Westminster Highway
Richmond, B.C. V7C 4V4
Phone: (604) 270-8851
Telex: 04-357615

IN U.S.A.
HEAD OFFICE:

Sandvik Saws and Tools
P.O. Box 1220
Scranton, Pennsylvania 18501-1220
Phone: (717) 587-5191
TWX 510 671-4500

SANDVIK
Saws and Tools

IN CANADA CONTACT

Sandvik Canada Corp.
6835 Century Ave.
Saws & Tools Division
Mississauga, Ontario L5N 2L2
Phone: (416) 826-8900
Telex: 06-97743

IN U.S.A. CONTACT

Sandvik Saws and Tools
P.O. Box 1220
Scranton, Pennsylvania 18501-1220
Phone: (717) 587-5191
TWX: 510 671-4500